IN THE CLAIMS:

Please amend the claims as follows:

- 1. (original) A sheet material comprising a lead layer and a leach-preventative coating, wherein the leach-preventative coating comprises an ultra-violet cured non-brittle solid film layer.
- 2. (original) The sheet material as claimed in Claim 1 wherein leach-preventative coating comprises an acrylic based polymer.
- 3. (currently amended) The sheet material as claimed in Claim 1 or Claim 2 wherein the leach-preventative comprises an epoxy based polymer.
- 4. (currently amended) The sheet material as claimed in Claim 1 any of Claims 1 to 3 wherein the leach-preventative coating may comprise a mixture of an acrylic based polymer and an epoxy based polymer.
- 5. (currently amended) The sheet material as claimed in any preceding Claim 1 wherein the leach-preventative coating comprises a material having a softness greater than that of lead.

- 6. (currently amended) The sheet material as claimed in any preceding Claim 1 wherein the leach-preventative coating comprises polytetrafluoroethylene (PTFE).
- 7. (currently amended) The sheet material as claimed in any preceding Claim 1 wherein the leach-preventative coating comprises molybdenum disulphide.
- 8. (currently amended) The sheet material as claimed in any preceding Claim 1 wherein the leach-preventative coating has a thickness of 2 to 300 microns.
- 9. (currently amended) The sheet material as claimed in any preceding Claim 1 wherein the leach-preventative coating comprises a photoinitiator for the initiation of a radical chain reaction.
- 10. (currently amended) The sheet material as claimed <u>in any preceding Claim 1</u> wherein the leach-preventative coating further comprises an abhorrent material for deterring pests from attacking said leach-preventative coating.
- 11. (original) The sheet material as claimed in Claim 10 wherein the abhorrent material includes chilli or chilli pepper.
- 12. (original) The sheet material as claimed in Claim 11 wherein the abhorrent material includes extract of habanero pepper.

Claims 13 and 14 (cancelled).

- 15. (currently amended) A leach-preventative coating for a sheet material having a lead layer, wherein the leach-preventative coating comprising comprises an ultra-violet (UV) cured non-brittle solid film layer.
- 16. (original) A method of preventing leaching of a flashing material having a lead layer, the method comprising the steps of applying an ultra-violet curable coating having a non-brittle solid film layer to a lead base layer, and UV curing the applied coating.
- 17. (original) The method as claimed in Claim 16 wherein the coating comprises a solid film lubricant layer.
- 18. (currently amended) The method as claimed in Claim 16 or Claim-17 wherein the coating is applied by a dipping process.
- 19. (currently amended) The method as claimed in Claim 16 or Claim 17 wherein the coating is applied by a spraying process.
- 20. (currently amended) The method as claimed in Claim 16 or Claim 17 wherein the coating is applied by a barrel process.

- 21. (currently amended) The method as claimed in Claim 16 or Claim-17 wherein the coating is applied by a brushing process.
- 22. (currently amended) The method as claimed in any of Claim 16 or Claim 17 wherein the lead base layer is part of a construction or building.